



**PASSION FOR  
EXTERIOR TEXTILES**

Best-in-class innovations,  
applications and system solutions





# / How do we bring **best-in-** **class** expertise, sustainability and performance to **exterior** textiles?

## CREATING SUSTAINABLE SOLUTIONS

**At Archroma, we continuously challenge the status quo in the deep belief that we can make our industry sustainable.**

Archroma is committed to developing innovative products and processes that are safer for the consumer and for the environment. We strongly believe, based on our extensive experience in textile processing, that sustainability can generate innovation, performance and often lead to cost reductions and added value for our customers. For this reason, our clear ambition is to offer our customers the best possible system for their textile segments.

Innovation is a core competence of Archroma, which ensures that our products and services meet future demands, foster future technologies and contribute to a more sustainable textile industry.

As a global leader in color and specialty chemicals with a trusted heritage, we offer bespoke product solution systems and innovations. We strive to be a reliable partner for textile mills as well as major retailers and brands for the whole textile chain – **from the first idea to the final article.**


Brand owners and retailers around the world are taking action to evaluate the environmental impact of textile treatment, dyeing and finishing processes in response to consumer concerns. We can support textile manufacturers with this. Our exclusive ONE WAY Process Simulator can be used to simulate and compare products and processes, and thus calculate the ecological and economical profile of the final end-product.

## / ABOUT US

Archroma is a **global color and specialty chemicals** company committed to innovation, world-class quality standards, high service levels, cost-efficiency and sustainability.

**From fiber to finish**, Archroma plays a key role throughout the entire textile supply chain, with special system solutions for spinning, sizing, pretreatment, dyeing and finishing.

At Archroma, **we share your passion for exterior textiles**, and we bring our expertise, innovation power and our commitment to sustainability into developing cutting-edge technologies and products to support your needs.



### Archroma has specialized Competence Centers bringing to our customers:

- A hub of knowledge, R&D, expertise, technology and creativity support;
- A wide range of testing and consulting services in the synthetics & wool, cellulosics, printing, finishing & denim segments;
- A complete system offering thanks to our unique combination of expertise in spinning, pretreatment, coloration, as well as finishing;
- Access to global and regional knowledge and expert network for seamless support in global supply chain management;
- Powerful training centers for our affiliates, partners and customers.

**At Archroma, we continuously challenge the status quo in the deep belief that we can make our industry sustainable.**

The majority of Archroma's products are compliant by some of the most important eco-standards, such as:

• bluesign® • Oeko-Tex® • GOTS • ZDHC • REACH • EU Ecolabel • C2C • RSL • MRSL

## / SPINNING & SIZING

### Flexibility on demand

At the beginning of the textile chain, Archroma's spin finishes provide outstanding processing performance for all kinds of filaments and fibers. We combine our chemistry knowledge and yarn manufacturing experience to develop our high performance and innovative **spin finishes and sizing systems**, aimed at answering the specific demands of our customers.

### Archroma's spinning agents

- Spin finish **Afilan®**
- Softeners, lubricants and antistatic agents **Leomin®**

Our sophisticated expert laboratories, customer service and support are invaluable assets for long-term co-operation and partnerships. High ecological and toxicological internal standards give our customers the confidence to obtain spin finish products of highest safety levels.

### Archroma's sizing agents

- Sizing agent **Arkofil®**
- Additives **Trefix®**

## / PRETREATMENT & OBA

### Preparation for peace of mind

An old saying states that "well prepared is half dyed". Pretreatment is indeed a key step in textile production. The diversity of fibers and quality variations are major challenges in consistently obtaining a perfectly prepared fabric, ready for the next processing steps.

Based on decades of experience, a worldwide presence and strong relations with machine manufacturers, Archroma is in the position to provide robust pretreatment and optical brightening systems for every type of fiber and their blends, optimized for your specific set-up.

With Archroma optical brightening agents (OBA), you get the whiteness and the shade that you need, with high fastnesslevel.

### Archroma's pretreatment & OBA agents

- Antifoam agent **Antimussol® HT2S liq**
- Dispersing & sequestering agents **Lufibrol® MSD liq**
- OBA for PES
  - Ultraphor® ERE liq** (neutral reddish)
  - Ultraphor® EREN liq** (bluish violet)
  - Ultraphor® HF liq** (neutral reddish)
  - Ultraphor® HFN liq** (red violet)
  - Ultraphor® ETB liq** (neutral bluish)
  - Ultraphor® ETBN liq** (bluish)
- Wetting, Deaerating agent **Leonil® EHC liq c**
- Detergents
  - Imerol® PCLF liq**
  - Kieralon® F-MFB liq**



Our polyester exterior textiles solutions have been developed to withstand the **highest light and hot-light-fastness** requirements. These properties ensure high color consistency – giving maximum flexibility – retaining light fastness and color.

**Dorospers® A & K dyes** because of their excellent fastness to light and weathering are recommended for the exhaust dyeing of polyester exterior textiles. The addition of suitable UV absorbers from the Fadex® range improves light fastness consistency and the tear strength of the polyester fiber.



## Archroma's dyestuff range

### Dorospers® K dyes

- Highest light and hot-light-fastness
- State-of-the-art dispersability and dispersion stability
- Very high reproducibility

- **Dorospers® Yellow K-HM 150**
- **Dorospers® Yellow K-RL 150**
- **Dorospers® Yellow K-RSG**
- **Dorospers® Yellow Brown K-MR**
- **Dorospers® Orange K-R**
- **Dorospers® Brown K-3LG**
- **Dorospers® Brown K-3LR**
- **Dorospers® Red K-AS**
- **Dorospers® Red K-RR**
- **Dorospers® Red K-LR New**
- **Dorospers® Brill Blue K-2G**
- **Dorospers® Blue K-LB 150**
- **Dorospers® Blue K-GLFN 150**
- **Dorospers® Navy Blue K-LN**
- **Dorospers® Black K-LNF**
- **Dorospers® Black K-JE**

### Dorospers® A dyes

- State-of-the-art dispersability and dispersion stability
- Very high reproducibility
- Medium to high hot-light-fastness requirements

- **Dorospers® Yellow A-GLW c**
- **Dorospers® Golden Yellow A-R**
- **Dorospers® Red AS-3L**
- **Dorospers® Blue AS-3L**
- **Dorospers® Blue A-BLF 150**
- **Dorospers® Blue A-BGF 150**
- **Dorospers® Navy Blue A-LF**
- **Dorospers® Navy Blue AS-3L**
- **Dorospers® Black A-CLF**
- **Dorospers® Black AS-3LF**

**Archroma** is a recognized leader in **integrated solutions for dyeing**. Our portfolio includes systems designed to answer the specific requirements of all types of synthetic and blend fibers.

## Archroma's dyeing auxiliaries

- Antifoam agent  
**Antimussol® HT2S liq**
- Wetting, deaerating agent  
**Leonil® EHC liq c**
- Lubricant  
**Imacol® MPE liq**  
**Imacol® X-JET liq**
- Dystuff protection agent  
**Revatol® AR liq**
- Dispersing agent  
**Lyocol® PRDN liq**  
**Lyocol® RDN liq**
- Levelling/dispersing  
**Eganal® DFT liq**  
**Eganal® X-ACT liq**  
**Lyogen® P liq c**
- Diffusion accelerator  
**Dilatin® POE liq**
- Acid buffer  
**Opticid® PB liq**  
**Opticid® PSD liq**
- Alkaline buffer  
**Lyocol® ELD New liq**
- Oligomer dispersing  
**Lyocol® POD liq**
- Reductive clearing  
**Cyclanon® ECO Plus liq** (acid)  
**Cyclanon® MCL liq** (alkaline)  
**Ekalin® F liq**  
**Cyclanon® MSA pwd** (alkaline)
- Anti-migrating  
**Solidokoll® N liq**
- Pick up improver  
**Solidokoll® DPR liq**

## Archroma's UV absorbers

Our Fadex® UV-absorbers provide high light-fastness to polyester exterior textiles.

- Benzotriazole based  
**Fadex® AKS liq**  
**Fadex® F liq**  
**Fadex® F liq c**
- Benzophenone based  
**Fadex® ECS New liq**
- Triazine based  
**Fadex® TR liq**  
**Fadex® AS New liq**



The coloration section of this brochure is focused on the fiber of wider application and use for exterior textiles PES. **Archroma has also a complete coloring solutions for CEL, PA and blend fabrics. Please ask your representative for additional information.**

# / PRINTING

## The preferred choice for printing

Our wide portfolio of pigment printing preparations and auxiliaries, combined with a great selection of dyes, place Archroma in the position to offer complete printing solutions that obtain vibrant colors in most fields of textile printing applications.

### Archroma's pigment printing

#### Printofix® Pigment preparations

- High standard of dispersion stability
- Low viscosity

Extremely high light fastness:

- **Printofix® Brill Yellow TF**
- **Printofix® Yellow TF**
- **Printofix® Brill Red TF**
- **Printofix® Green TF**
- **Printofix® Brown TF**

Additional elements:

- **Printofix® Pink T-E**
- **Printofix® Violet T-L**
- **Printofix® Blue T-K**
- **Printofix® Blue T-P**
- **Printofix® Navy T-V**
- **Printofix® Green T-X**
- **Printofix® Black T-M**

#### Auxiliaries

Printing binders:

- **Helizarin® SFT liq**
- **Helizarin® TOW liq**
- **Helizarin® ET liq**
- **Helizarin® SF liq**
- **Helizarin® CN Plus liq**

Printing thickeners:

- **Lutexal® HIT Plus liq**
- **Lutexal® CSFN liq**
- **Lutexal® GP ECO p**

Printing fixing agent:

- **Luprintol® Fixing Agent SE liq**
- **Luprintol® Fixing Agent SF liq**

Printing softeners:

- **Luprintol® Soft VSN liq**
- **Luprintol® Soft SIG liq**

Printing specials:

- **Luprintol® Emulsifier PE New liq**
- **Luprintol® Additive RM liq**
- **Luprintol® MCL ECO liq**

### Archroma's disperse printing

#### Dorospers® K

- Highest light-fastness and hot-light-fastness
- State-of-the-art dispersability and dispersion stability
- Very high reproducibility

See complete range in the dyeing section

#### Auxiliaries

Anti-foaming:

- **Antimussol® UDF liq**

Acid donor:

- **Opticid® PB liq**

Dispersing agent:

- **Lyocol® RDN liq**

Fixation improver:

- **Printogen Enhancer BC liq**

Synthetic thickener:

- **Lutexal® DRA liq**
- **Lutexal® GP ECO p**

Washing-off agent:

- **Eganal® DFT liq**

Reduction clearing agents:

- **Cyclanon® MCL liq**
- **Cyclanon® ECO Plus liq**

# / FINISHING

## Innovative and tailor-made solutions

For exterior textiles fabrics Archroma is a key player for high quality applications, requiring state-of-the-art special effects and ensuring safety standards are maintained.

Archroma's wide portfolio of finishing products such as water-repellent, soil release, anti-microbial, polymers, flame retardant and high abrasion resistance finishes are applied to these special articles to fulfil all the technological requirements and add value.

The Archroma polymers for coating are water-based solvent free and do not contain di-methylformamide (DMF) nor any other organic solvents. Thus, we offer systems for eco-advanced fabric production whilst meeting the latest ecological requirements. This means a final product safer for the consumer.

### Archroma's exterior textiles solutions

- Protection against liquids, soils, odor formation, and flames  
**Smartrepel® Hydro**  
**Nuva® N**  
**NanoSphere®**  
**Sanitized®**  
**Pekoflam®**
- Enhanced comfort, abrasion resistance & softening  
**Ceralube®**  
**Solusoft®**  
**Siligen®**  
**Cepreton®**
- Thermo-control and cooling effects  
**coldblack®\***
- Water-based solvent-free polymers for functional coating and dimensional stabilization  
**Appretan®**  
**Lurapret®**  
**Texapret®**
- Ready-to-apply FR coating compound solutions  
**Texapret® CF**
- Structural stabilization  
**Arkofix®**  
**Fixapret®**  
**Cassurit®**



Discover more information in our [“Functional Finishing” brochure](#).



/Check our latest updates at  
www.exteriortextiles.archroma.com



Spinning agents

- Afilan®
- Leomin®

Sizing agents

- Arkofil®

Additives

- Trefix®

Global core

- Antifoam agent:**
- Antimussol® HT2S liq
- Wetting, deaerating agent:**
- Leonil® EHC liq c
- OBA for PES:**
- Ultraphor® ERE liq (neutral reddish)
  - Ultraphor® EREN liq (bluish violet)
  - Ultraphor® HF liq (neutral reddish)
  - Ultraphor® HFN liq (red violet)
  - Ultraphor® ETB liq (neutral bluish)
  - Ultraphor® ETBN liq (bluish)
- Dispersing & sequestering agent:**
- Lufibrol® MSD liq
- Detergents:**
- Imerol® PCLF liq
  - Kieralon® F-MFB liq

Performance and finishing solutions				
Protection	Moisture management & thermocontrol	Strength, flexibility & shape stabilization	Softening	Finishing specialties & additives
Fluorine free water repellent: <ul style="list-style-type: none"><li>• Smartrepel® Hydro</li></ul> Repellency & soil release: <ul style="list-style-type: none"><li>• Nuva® N</li></ul> Water-based solvent-free polymers, for functional coating: <ul style="list-style-type: none"><li>• Appretan®</li><li>• Lurapret®</li><li>• Texapret®</li></ul> Flame retardant: <ul style="list-style-type: none"><li>• Pekoflam®</li></ul> Ready-to-apply FR coating compound solutions: <ul style="list-style-type: none"><li>• Texapret® CF</li></ul> Antimicrobial & antimosquito protection: <ul style="list-style-type: none"><li>• Sanitized®</li></ul> Antistatic: <ul style="list-style-type: none"><li>• Elfugin® AKT liq</li></ul>	Moisture management: <ul style="list-style-type: none"><li>• Hydroperm®</li></ul> Cooling effects: <ul style="list-style-type: none"><li>• coldblack®</li></ul>	Water-based solvent-free polymers, for dimensional stabilization and abrasion resistance: <ul style="list-style-type: none"><li>• Appretan®</li><li>• Lurapret®</li></ul> Shape stabilization: <ul style="list-style-type: none"><li>• Cassurit®</li></ul> Crease and shrink resistance: <ul style="list-style-type: none"><li>• Arkofix®</li><li>• Fixapret®</li></ul>	Silicone softener: <ul style="list-style-type: none"><li>• Solusoft</li></ul> Hydrophilic silicone softener: <ul style="list-style-type: none"><li>• Siligen®</li></ul> Fatty acid softeners: <ul style="list-style-type: none"><li>• Leomin®</li><li>• Cepreton®</li></ul> Polyethylene softeners/lubricants: <ul style="list-style-type: none"><li>• Ceralube®</li><li>• Destofil® LC liq</li><li>• Ceralube® ET liq</li></ul> Polyurethane softeners: <ul style="list-style-type: none"><li>• Hydroperm®</li><li>• Perapret</li></ul> Softener for fluorocarbon finishes: <ul style="list-style-type: none"><li>• Ceralube® PHD liq c</li></ul>	Special crosslinkers: <ul style="list-style-type: none"><li>• Arkophob®</li></ul> Hydrophobic agent for technical textiles: <ul style="list-style-type: none"><li>• Arkophob® NPK liq</li></ul> Wetting agents: <ul style="list-style-type: none"><li>• Kieralon® MRZ liq</li><li>• Fluowet® UD liq</li><li>• Imerol® JET-B liq c</li></ul> Foaming agents: <ul style="list-style-type: none"><li>• Imerol® SAS 30 liq</li><li>• Afilan®</li></ul> Anti-Foaming agents: <ul style="list-style-type: none"><li>• Antimussol® UDF liq</li></ul> System stabilizer: <ul style="list-style-type: none"><li>• Fluowet®</li></ul> Yellowing protection: <ul style="list-style-type: none"><li>• Umidol®</li></ul> Antislip: <ul style="list-style-type: none"><li>• Dicofix® SW liq c</li></ul>

Printing PES			
Pigment preparations	Printing auxiliaries	Disperse dyes	Printing auxiliaries
Printofix® range	Printing binder: <ul style="list-style-type: none"><li>• Helizarin® SFT liq</li><li>• Helizarin® TOW liq</li><li>• Helizarin® ET liq</li><li>• Helizarin® SF liq</li><li>• Helizarin® CN Plus liq</li></ul> Printing thickeners: <ul style="list-style-type: none"><li>• Lutexal® HIT Plus liq</li><li>• Lutexal® CSFN liq</li><li>• Lutexal® GP ECO p</li></ul> Printing fixing agent: <ul style="list-style-type: none"><li>• Luprintol® Fixing Agent SE liq</li><li>• Luprintol® Fixing Agent SF liq</li></ul>	Printing softeners: <ul style="list-style-type: none"><li>• Luprintol® Soft VSN liq</li><li>• Luprintol® Soft SIG liq</li></ul> Printing specials: <ul style="list-style-type: none"><li>• Luprintol® Emulsifier PE New liq</li><li>• Luprintol® Additive RM liq</li><li>• Luprintol® MCL ECO liq</li></ul>	Dorospers® K range
- High standard of dispersion stability		Highest light-fastness and hot-light-fastness: <ul style="list-style-type: none"><li>- State-of-the-art dispersability and dispersion stability</li><li>- Very high reproducibility</li></ul>	Antifoaming: <ul style="list-style-type: none"><li>• Antimussol® UDF liq</li></ul> Acid donor: <ul style="list-style-type: none"><li>• Opticid® PB liq</li></ul> Dispersing agent: <ul style="list-style-type: none"><li>• Lyocol® RDN liq</li></ul> Fixation improver: <ul style="list-style-type: none"><li>• Printogen Enhancer BC liq</li></ul> Synthetic thickener: <ul style="list-style-type: none"><li>• Lutexal® DRA liq</li><li>• Lutexal® GP ECO p</li></ul> Washing-off agent: <ul style="list-style-type: none"><li>• Eganal® DFT liq</li></ul> Reduction clearing agents: <ul style="list-style-type: none"><li>• Cyclanon® MCL liq</li><li>• Cyclanon® ECO Plus liq</li></ul>
- Low viscosity	Extremely high light fastness: <ul style="list-style-type: none"><li>• Printofix® Brill Yellow TF</li><li>• Printofix® Yellow TF</li><li>• Printofix® Brill Red TF</li><li>• Printofix® Green TF</li><li>• Printofix® Brown TF</li></ul> Additional elements: <ul style="list-style-type: none"><li>• Printofix® Pink T-E</li><li>• Printofix® Violet T-L</li><li>• Printofix® Blue T-K</li><li>• Printofix® Blue T-P</li><li>• Printofix® Navy T-V</li><li>• Printofix® Green T-X</li><li>• Printofix® Black T-M</li></ul>		

Exhaust Dyeing PES			
Dyestuffs		Dyeing auxiliaries	UV absorber
Dorospers® K dyes	Dorospers® A dyes	Antifoam agent: <ul style="list-style-type: none"><li>• Antimussol® HT2S liq</li></ul> Wetting, Deaerating agent: <ul style="list-style-type: none"><li>• Leonil® EHC liq c</li></ul> Lubricant: <ul style="list-style-type: none"><li>• Imacol® MPE liq</li><li>• Imacol® X-JET liq</li></ul> Dyestuff protection agent: <ul style="list-style-type: none"><li>• Revatol® AR liq</li></ul> Dispersing agent: <ul style="list-style-type: none"><li>• Lyocol® PRDN liq</li><li>• Lyocol® RDN liq</li></ul> Levelling/Dispersing: <ul style="list-style-type: none"><li>• Eganal® DFT liq</li><li>• Eganal® X-ACT liq</li><li>• Lyogen® P liq c</li></ul> Diffusion accelerator: <ul style="list-style-type: none"><li>• Dilatin® POE liq</li></ul>	Benzotriazole based: <ul style="list-style-type: none"><li>• Fadex® AKS liq</li><li>• Fadex® F liq</li><li>• Fadex® F liq c</li></ul> Benzophenone based: <ul style="list-style-type: none"><li>• Fadex® ECS New liq</li></ul> Triazine based: <ul style="list-style-type: none"><li>• Fadex® TR liq</li><li>• Fadex® AS New liq</li></ul>
- Global core	- Global additional range to Dorospers® K dyes	Acid buffer: <ul style="list-style-type: none"><li>• Opticid® PB liq</li><li>• Opticid® PSD liq</li></ul> Alkaline buffer: <ul style="list-style-type: none"><li>• Lyocol® ELD New liq</li></ul> Oligomer dispersing: <ul style="list-style-type: none"><li>• Lyocol® POD liq</li></ul> Reductive clearing: <ul style="list-style-type: none"><li>• Cyclanon® ECO Plus liq (acid)</li><li>• Cyclanon® MCL liq (alkaline)</li><li>• Ekalin® F liq</li><li>• Arostit® MSA (alkaline)</li></ul> Anti migrating: <ul style="list-style-type: none"><li>• Solidokoll® N liq</li></ul> Pick up improver: <ul style="list-style-type: none"><li>• Solidokoll® DPR liq</li></ul>	
- Highest light-fastness and hot-light-fastness	- State-of-the-art dispersability and dispersion stability		
- State-of-the-art dispersability and dispersion stability	- Very high reproducibility		
- Very high reproducibility			
• Dorospers® Yellow K-HM 150	• Dorospers® Brill Blue K-2G		
• Dorospers® Yellow K-RL 150	• Dorospers® Blue K-LB 150		
• Dorospers® Yellow K-RSG	• Dorospers® Blue K-GLFN 150		
• Dorospers® Yellow Brown K-MR	• Dorospers® Navy Blue K-LN		
• Dorospers® Orange K-R	• Dorospers® Black K-LNF		
• Dorospers® Brown K-3LG	• Dorospers® Black K-JE		
• Dorospers® Brown K-3LR			
• Dorospers® Red K-AS			
• Dorospers® Red K-RR			
• Dorospers® Red K-LR New			
	• Dorospers® Yellow A-GLW c		
	• Dorospers® Yellow A-LSR		
	• Dorospers® Golden Yellow A-R		
	• Dorospers® Red AS-3L		
	• Dorospers® Violet A-BLZ		
	• Dorospers® Blue AS-3L		
	• Dorospers® Blue A-CMR		
	• Dorospers® Blue A-BLF 150		
	• Dorospers® Blue A-BGF 150		
	• Dorospers® Navy Blue A-LF		
	• Dorospers® Navy AS-3L		
	• Dorospers® Black A-CLF		
	• Dorospers® Black AS-3LF		

The coloration section of this brochure is focused on the fiber of wider application and use for exterior textiles PES. **Archroma has also a complete coloring solutions for CEL, PA and blend fabrics. Please ask your representative for additional information.**



# / THE ARCHROMA WAY TO A SUSTAINABLE WORLD

## Safe, efficient, enhanced.

As a global leader in color and specialty chemicals, we are committed to develop innovative systems and services to provide you with custom solutions that are:

**Safe** – It's our nature to protect. Safe to use, safe to release and safe to wear.


**Efficient** – It's our nature to rethink sustainable manufacturing. Innovating application processes that minimize resources and maximize productivity.

**Enhanced** – It's our nature to add another level of value. Effects, functionality and aesthetics to give additional value, for a life enhanced.



Ask your Archroma representative for additional information on our system solutions

\*below limits of detection according to industry standard test methods



[www.archroma.com](http://www.archroma.com)  
[bptmarketing@archroma.com](mailto:bptmarketing@archroma.com)

**ARCHROMA MANAGEMENT LLC**

Neuhofstrasse 11  
4153 Reinach  
Switzerland

**BRAND & PERFORMANCE TEXTILE SPECIALTIES**

Archroma Singapore, Pte. Ltd.  
1 International Business Park  
#06-01 The Synergy  
609917 Singapore

**ARCHROMA COMPETENCE CENTER FOR AUTOMOTIVE,  
SYNTHETICS & WOOL**

Robert Bosch Str. 2,  
D-41352 Korschenbroich  
Germany

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Archroma makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Archroma's products for its particular application. \*Nothing included in this information waives any of Archroma's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Archroma products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Archroma.

\*For sales to customers located within the United States and Canada the following applies in addition:  
NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY,  
FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

® Trademark of Archroma registered in many countries  
© 2022 Archroma

**CERTIFIED TO**  
SE EN ISO 9001:2015  
SN EN ISO 14001:2015  
SN EN ISO 45001:2018