

PASSION FOR SPORTSWEAR

High performance system solutions for polyester, polyester/elastane & CDP



How do we bring best-inclass expertise, sustainability, and performance to sportswear?

CREATING SUSTAINABLE SOLUTIONS

At Archroma, we continuously challenge the status quo in the deep belief that we can make our industry sustainable.

Archroma is committed to developing innovative products and processes that are safer for the consumer and for the environment. We strongly believe, based on our extensive experience in textile processing, that sustainability can generate innovation, performance and often lead to cost reductions and added value for our customers. For this reason, our clear ambition is to offer our customers the best possible system for their textile segments.

Innovation is a core competence of Archroma, which ensures that our products and services meet future demands, foster future technologies and contribute to a more sustainable textile industry.

As a global leader in color and specialty chemicals with a trusted heritage, we offer bespoke product solution systems and innovations. We strive to be a reliable partner for textile mills as well as major retailers and brands for the whole textile chain – **from the first idea to the final article.**

Brand owners and retailers around the world are taking action to evaluate the environmental impact of textile treatment, dyeing and finishing processes in response to consumer concerns. We can support textile manufacturers with this. Our exclusive ONE WAY Process Simulator can be used to simulate and compare products and processes, and thus calculate the ecological and economical profile of the final end-product.




ABOUT US

SPINNING & SIZING

Archroma is a **global color and specialty chemicals** company committed to innovation, world-class quality standards, high service levels, cost-efficiency and sustainability.

From fiber to finish, Archroma plays a key role throughout the entire textile supply chain, with special system solutions for spinning, sizing, pretreatment, optical brighteners, dyeing and finishing.

At Archroma, **we share your passion for sportswear**, and we bring our expertise, innovation power and our commitment to sustainability into developing cuttingedge technologies and products to support your needs.



Archroma has specialized Competence Centers bringing to our customers:

- A hub of knowledge, R&D, expertise, technology and creativity support;
- A wide range of testing and consulting services in the synthetics & wool, cellulosics, printing, finishing & denim segments;
- A complete system offering thanks to our unique combination of expertise in spinning, pretreatment, coloration, as well as finishing;
- Access to global and regional knowledge and expert network for seamless support in global supply chain management;
- Powerful training centers for our affiliates, partners and customers.

At Archroma, we continuously challenge the status quo in the deep belief that we can make our industry sustainable.

The majority of Archroma's products are certified by some of the most important eco-standards, such as:

• bluesign[®] • Oeko-Tex[®] • GOTS • ZDHC • REACH • EU Ecolabel • C2C • RSL • MRSL

Flexibility on demand

At the beginning of the textile chain, Archroma's spin finishes provide outstanding processing performance to all kinds of filaments and fibers. We combine our chemistry knowledge and yarn manufacturing

Archroma's spinning agents

| Spin finish | Softeners, lubricants |
|---------------------------------|-------------------------------------------|
| Afilan® | and antistatic agents |
| | Leomin [®] |
| | |

/ PRETREATMENT & OBA

A heritage of performance

Pretreatment has always been a core competence in Archroma and our past heritage. We believe that a textile treatment process must be simple, robust and highly reliable.

Archroma's pretreatment agents

- Antifoam agent
 Antimussol[®] HT2S liq
- Wetting, deaerating agent Leonil[®] EHC lig c
- Dispersing & sequestering agents Lufibrol® MSD liq
- Detergents agents Imerol[®] PCLF liq Kieralon[®] F-MFB liq

experience to develop our high performance and innovative **spin finishes and sizing systems,** aimed at addressing the specific demands of our customers.

Archroma's sizing agents Sizing agent Additives Arkofil[®] Trefix[®]

With Archroma's **pretreatment and optical brightening systems,** you will be able to obtain a perfect prepared fabric and get the whiteness and the shade that you need, with high fastness level.

Archroma's optical brightening agents

| OBA for Polyester |
|---------------------------------------------------|
| Ultraphor [®] ERE (neutral reddish) |
| Ultraphor [®] EREN (bluish violet) |
| Ultraphor [®] ESR (neutral reddish) |
| Ultraphor [®] ETB (neutral bluish) |
| Ultraphor [®] ETBN (bluish) |
| Ultraphor [®] HF (neutral reddish) |
| Ultraphor [®] HFN (red violet) |
| Ultraphor [®] SFR plus (neutral reddish) |
| Ultraphor [®] SFN (bluish violet) |
| Ultraphor [®] XSR (neutral reddish) |
| |

COLORATION

Archroma is a recognized leader in integrated solutions for coloration. Our portfolio includes systems designed to answer the specific requirements for all types of polyester & CDP goods.

Our sportswear coloration systems have been developed to withstand the highest wet fastness requirements of this high performance market.

Archroma's dyestuffs for PES, PES/EL & CDP

| Foron [®] SP-WF | Foron [®] S-WF supplement selection | Foron [®] S Luminous |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Core range for PES microfibre and elastane blends Medium-energy performance dyes High wet fastness | Supplementary selection High-energy performance dyes High sublimation fastness High wet fastness | High-energy support dyes Specially suitable for brilliant fluorescent shades Good wet and light fastness |
| | 🛑 Foron® Brill Scarlet S-WFN | Foron [®] Luminous Yellow S-10DGN |
| Foron [®] Brill Yellow SP-WF | Foron [®] Crimson S-WF | Foron [®] Luminous Red S-DGN |
| Foron[®] Orange SP-WF Foron[®] Carnary SP-WF | Foron [®] Magenta S-WF Foron [®] Turquoise S-WF | Foron [®] Luminous Red S-DBN |
| Foron[®] Carmine SP-WF Foron[®] Rubine SP-WF | - | Doracryl [®] MD |
| Foron [®] Violet SP-WF | | Specially formulated cationic dyes |
| Foron [®] Blue SP-WF | | for the dyeing of CDP |
| Foron [®] Royal SP-WF Foron [®] Novy SP WF | | Suitable for one-bath dyeing of |
| Foron[®] Navy SP-WF Foron[®] Black SP-WF | | CDP/PES and other CDP blends |
| Foron [®] Navy SP-WFE | | High sublimation and excellent |
| Foron [®] Black SP-WFE | | wet fastness |
| | | 😑 Doracryl® Yellow MD |
| | | Doracryl [®] Red MD |
| | | Doracryl [®] Blue MD |
| | | Doracryl [®] Black MD |

> Spotlight on CATIONIC DREAM, a robust and simple one-bath dyeing system for creating vibrant high contrast bi-color effects on polyester-based articles with less time, energy and water

Offering best-in-class auxiliaries for bespoke process runnability, maintaining high standards of quality and sustainability.


Archroma's dyeing auxiliaries

| Antifoam agent | Dispersing agent |
|-------------------------------|----------------------------------------------|
| Antimussol® HT2S liq | Lyocol [®] PRDN liq |
| | Lyocol [®] RDN liq |
| Wetting, deaerating agent | Ekalin® F lig |
| Leonil [®] EHC lig c | • |
| | Levelling & dispersi |
| Lubricant agent | Eganal [®] DFT liq |
| Imacol [®] MPE lig | Eganal [®] X-ACT liq |
| Imacol [®] X-JET liq | Lyogen® P liq c |
| Dyestuff protection agent | Acid buffer agent |
| Revatol [®] AR lig | Opticid® PSD lid |
| · | Opticid [®] PB liq |
| | |

> Spotlight on FAST SPORT, a coloration system for polyester knitted sportswear, providing the best fastness in the shortest possible time with a reduced environmental footprint



Discover Archroma Printing portfolio & system solutions in our "Passion for Printing" brochure.





Innovative and tailor-made solutions

For **sportswear** fabrics Archroma is a key player for high quality applications, requiring state-of-the-art special effects while ensuring safety and efficiency standards are maintained.

Nordic walking, running, and the wide range of new activities bring a renewed desire for sport clothes that are finished with highly functional products to support our active lives. Body climate control, breathable fabrics, moisture transport, soil and water repellency effects and colour fastness are just a few buzz-words consumers are using when looking at sports garments, combined with convenience, design trends and durability.

Archroma's wide portfolio of finishing products ranges from world-class sewability improvers, wider range of softening and full range of functionality systems for water-repellency and anti-microbial. All in one to help to create value in any end market.



Archroma's performance and finishing solutions

Protection

- Fluorine free water repellent Smartrepel[®] Hydro
- Repellency & soil release Nuva® N
- Water-based solvent-free polymers, including polymers with low formaldehyde content or none at all for functional coating
- **Appretan®**
- Lurapret[®]
- **Texapret**[®]
- Flame retardant **Pekoflam®**
- Yellowing protection Umidol®
- Ready-to-apply FR coating compound solutions Texapret[®] CF
- Antimosauito Sanitized[®]
- Antistatic Elfugin® AKT liq

Odor management

- Antimicrobial protection Sanitized[®]
- Odor control function Sanitized[®] Odoractiv

and abrasion resista **Appretan**[®] Lurapret®

- Shape stabilization Cassurit®
- Crease and shrink re **Arkofix**® **Fixapret**®

Softening

- Silicone softener Solusoft[®]
- Hydrophilic silicone Siligen®
- Fatty acid softener Leomin® Cepreton®
- Polyethylene softene **Ceralube**[®]
- Yarn lubricants Destofil[®] LC liq Ceralube® ET liq
- Polyurethane soften Hydroperm[®] RPU N Perapret[®] PU New
- Softener for fluoroca Ceralube® PHD liq o
- > Spotlight on **ODOR CONTROL**, a system for odor-free sportswear where permastink cannot build up on your favorite clothes
- > Spotlight on HYDRY, a complete system for your exercise regime, that keeps you and your gear dry and fresh for longer

Discover more information in our "Functional Finishing" brochure.

| Strength, flexibility & shape stabilization | Moisture management & thermocontrol |
|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Water-based solvent-free polymers, including polymers with low formaldehyde content or none at | Moisture management Hydroperm[®] |
| all for dimensional stabilization and abrasion resistance Appretan® | Cooling effects coldblack[®] |
| Lurapret® | |
| Shape stabilization Cassurit[®] | Finishing specialties & additives |
| Crease and shrink resistance Arkofix[®] | Special crosslinkers Arkophob[®] |
| Fixapret® | Hydrophobic agent for technical textiles |
| | Arkophob [®] NPK liq |
| Softening | |
| Silicone softener Solusoft[®] | Wetting agents Kieralon[®] MRZ liq Fluowet[®] UD liq |
| | Imerol® JET-B liq c |
| Hydrophilic silicone softener | |
| Siligen® | Foaming agents |
| - | Kieralon [®] SAS 30 lig |
| Fatty acid softener | Afilan® |
| Leomin® | |
| Cepreton® | Anti-foaming agents |
| | Antimussol [®] UDF liq |
| Polyethylene softener/lubricants | |
| Ceralube® | System stabilizer |
| | Fluowet® |
| Yarn lubricants | |
| Destofil [®] LC liq | Antislip |
| Ceralube® ET liq | Dicofix [®] SW liq c |
| Polyurethane softener | |
| Hydroperm [®] RPU New Perapret [®] PU New | |
| Softener for fluorocarbon finish Ceralube[®] PHD liq c | * application partnership with Outlast company ** Zero-Add on Formaldehyde |
| | ! |

/ Check our latest updates at

www.sportswear.archroma.com

...and know more about our **SYSTEMS SOLUTIONS** for sports



| 1. SPIN Reducing and ensure quality by yarn produced on the second second | friction fing high evel of duction 2. SIZING & WEAVING Ecological & conomical products for all types of looms & yarn counts 3. PRETRE & O Best-In | ATMENT DBA |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| agents | Global | core |
| • Arkofil® | Antifoam agent: • Antimussol® HT2S lig | Dispersing & sequestering agent: • Lufibrol® MSD lig |
| Additives • Trefix® | Wetting, deaerating agent: • Leonil® EHC liq c OBA for PES: • Ultraphor® ERE (neutral reddish) • Ultraphor® EREN (bluish violet) • Ultraphor® ETB (neutral reddish) • Ultraphor® ETBN (bluish) • Ultraphor® HF (neutral reddish) • Ultraphor® HFN (red violet) • Ultraphor® SFR plus (neutral reddish) • Ultraphor® SFN (bluish violet) • Ultraphor® XSR (neutral reddish) | Detergents: • Imerol® PCLF liq • Kieralon® F-MFB liq |

Foron[®] Navy SP-WFE

Foron[®] Black SP-WFE

| | | Dyenig solutions |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Dyestuffs for PE | S, PES/EL & CDP |
| Foron [®] SP-WF dyes | Foren® S WE cumplement selection | Foron [®] S Luminous duos |
| Foron [®] SP-WF dyes | Foron [®] S-WF supplement selection | Foron [®] S Luminous dyes |
| Core range for PES microfibre and elastane blends Medium-energy performance dyes High wet fastness | Supplementary selection High-energy performance dyes High sublimation fastness High wet fastness | High-energy support dyes Specially suitable for brilliant fluorescent shades Good wet and light fastness |
| Foron[®] Brill Yellow SP-WF Foron[®] Orange SP-WF Foron[®] Carnary SP-WF Foron[®] Carmine SP-WF Foron[®] Rubine SP-WF Foron[®] Uiolet SP-WF Foron[®] Blue SP-WF Foron[®] Royal SP-WF Foron[®] Navy SP-WF | Foron[®] Brill Scarlet S-WFN Foron[®] Crimson S-WF Foron[®] Magenta S-WF Foron[®] Turquoise S-WF | Foron[®] Luminous Yellow S-10DGN Foron[®] Luminous Red S-DGN Foron[®] Luminous Red S-DBN |

5. FINISHING

. COLORATI

ARCHROMA SPORTSWEAR PORTFOLIO

| Performance and finishing solutions | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Protection | | |
| Fluorine free water repellent: • Smartrepel® Hydro Repellency & soil release: • Nuva® N Water-based solvent-free polymers, including polymers with low formaldehyde content or none at all for functional coating • Appretan® • Lurapret® • Texapret® Flame retardant: • Pekoflam® Yellowing protection: • Umidol® Ready-to-apply FR coating compound solutions: • Texapret® CF Antimosquito: • Sanitized® Antistatic: • Elfugin® AKT liq | | |

Antifoam agent:

• Antimussol® HT2S lia

Wetting, deaerating agent:

• Leonil[®] EHC liq c

• Imacol[®] MPE lig

• Imacol[®] X-JET liq

Revatol[®] AR liq

Dyestuff protection agent:

Lubricant agent:

Dveing solutions

Doracryl[®] MD

- Specially formulated cationic dyes for the dyeing of CDP - Suitable for one-bath dyeing of
- CDP/PES and other CDP blends
- High sublimation and excellent wet fastness
- Doracryl[®] Yellow MD
- Doracryl[®] Red MD
- Doracryl[®] Blue MD
- Doracryl[®] Black MD

Dyeing auxiliaries

Dispersing agent:

- Lvocol® PRDN lia • Lvocol® RDN lia
- Ekalin[®] F liq
- Levelling & dispersing agent:
- Eganal[®] DFT liq
- Eganal[®] X-ACT liq
- Lyogen® P liq c

Acid buffer:

- Opticid[®] PB liq
- Opticid[®] PSD liq
- Diffusion accelerator: • Dilatin[®] POE liq
- Oligomer dispersing agent: • Lyocol[®] POD liq
- Reductive clearing:
- Cyclanon[®] ECO Plus liq (acid)
- Cyclanon[®] MCL liq (alkaline) • Cyclanon[®] MSA (alkaline)
- Ekalin[®] F liq
- The coloration section of this brochure is focused on PES. Archroma has also a complete coloring solutions for CEL, PA and blend fabrics. Please ask your representative for additional information.

/ THE ARCHROMA WAY TO A SUSTAINABLE WORLD

Safe, efficient, enhanced.

As a global leader in color and specialty chemicals, we are committed to develop innovative systems and services to provide you with custom solutions that are:

Safe – It's our nature to protect. Safe to use, safe to release and safe to wear.

Efficient – It's our nature to rethink sustainable manufacturing. Innovating application processes that minimize resources and maximize productivity.

Enhanced – It's our nature to add another level of value. Effects, functionality and aesthetics to give additional value, for a life enhanced.





Ask your Archroma representative for additional information on our system solutions

*below limits of detection according to industry standard test methods



www.archroma.com bptmarketing@archroma.cor

ARCHROMA MANAGEMENT LLC

Neuhofstrasse 11 4153 Reinach Switzerland

BRAND & PERFORMANCE TEXTILE SPECIALTIES

Archroma Singapore, Pte. Ltd. 1 International Business Park #06-01 The Synergy 609917 Singapore

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Archroma makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Archroma's products for its particular application. *Nothing included in this information waives any of Archroma's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Archroma products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet provided in compliance for additional information, please contact Archroma.

*For sales to customers located within the United States and Canada the following applies in addition: NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

Trademark of Archroma registered in many countries
© 2021 Archroma

CERTIFIED TO SE EN ISO 9001:2015 SN EN ISO 14001:2015 SN EN ISO 45001:2018